

NATIONAL UNIVERSITY OF SINGAPORE

School of Computing

MID-TERM Assessment

AY2018/19 Semester 4

CS2030 — Programming Methodology II

17 July 2019

Time Allowed: 1 hour

INSTRUCTIONS

1. This question paper contains **TEN (10)** questions and comprises **SEVEN (7)** printed pages.
2. Write your **Student Number** and **Tutorial Group** Number with a **PEN**.
3. Answer **ALL questions** within the answer sheet provided.
4. You may write your answers in pencil (at least 2B).
5. You must **write legibly** or marks may be deducted.
6. This is an **OPEN Book** test.
7. Maximum score of this test is **20 marks**.

——— **END OF INSTRUCTIONS** ——

Multiple Choice Question**[5 Marks]**

1. Consider the code fragment below.



```
public static double foo(Double x, Double y) {  
    return x + y;  
}  
public static double foo(double x, Double y) {  
    return x - y;  
}  
public static double foo(Double x, double y) {  
    return x * y;  
}
```

Consider executing the function call `foo(7.0, 3.0)`. What is the return value?

- A. 10.0
 - B. 4.0
 - C. 21.0
 - D. Compile error
 - E. Runtime error
2. Consider the code fragment below.

```
class A {  
    public void foo() {  
        System.out.println("A.f");  
    }  
}  
class B extends A {  
    public void foo(int x) {  
        System.out.println("B.f");  
    }  
}
```

Consider the concepts below.

- i. Inheritance 
- ii. Overriding
- iii. Overloading 

Which of the concepts above are illustrated in the code fragment above?

- A. (ii) only
- B. (iii) only
- C. (i) and (ii) only
- D. (i) and (iii) only
- E. (i), (ii), and (iii)

3. Consider the interfaces and abstract class below.

```
interface I1 {
    public void f();
    public void h();
}
interface I2 {
    public void f();
    public void g();
}
abstract class AC {
    public abstract void f(int x);
    public void f() {
    }
}
```

Consider the concrete class `C` that extends on `AC` using the following class declaration:

`class C extends AC`. With respect to the functions below:

- i. `f()`
- ii. `g()`
- iii. `h()`
- iv. `f(int x)` ✓

How many of the functions above need to be implemented in `C`?

- A. 0
- B. 1
- C. 2
- D. 3
- E. 4

4. Consider the code fragment below.

```
public static void f() {
    try {
        System.out.println(1);
        throw new Exception();
        System.out.println(2);
    } catch (Exc1 e) {
        System.out.println(3);
    } catch (Exc2 e) {
        System.out.println(4);
    } finally {
        System.out.println(5);
    }
}
```

Consider further the class declaration below.

```
class Exc2 extends Exception { }
class Exc1 extends Exc2 { }
```

Midterm Assessment

Which of the following will be printed then calling `f()`?

A. 1

2

5

B. 1

3

5

C. 1

D. 1

5

E. 1

4

5

5. Consider the code fragment below.

```
public static boolean foo(int x, int y) {  
    Integer objX = x;  
    Integer objY = y;  
    return objX == objY;  
}
```

Which of the following statement is true about the function above when called with `foo(n, n)`?

A. The function always return `false`.

B. The function always return `true`.

C. The function may return `true` or `false`.

D. If replaced with `return objX.equals(objY)`, the function always return `false`.

E. If replaced with `return objX.equals(objY)`, the function may return `true` or `false`.

Short Answer

[6 Marks]

6. Consider the classes declarations below.

```
class A {}
class B {}
class C extends B {}
class D extends B {}
class E extends C {}
class F extends E {}
```

```
class P<T extends C> {}
```

Consider the variable declaration `P<? super F> p`. Write down all the initialization of the form `p = new P<____>()` that can be made without error where `____` is replaced with an actual class name from the list of classes above.

7. Consider the interface and abstract class below.

```
interface I {
    public void f(); ✓
    default void g() {}
}
abstract class A implement I {
    abstract public void h(); ✓
    abstract public void h(int x); ✓
    public void j() {}
}
class B extends A { .. }
```

List all the methods and its signature (*including its access modifiers and return type*) that B needs to implement.

8. Consider the interface
- `Comparable<T>`
- with the usual method summary shown below.

```
int compareTo(T o)
```

Compares this object with the specified object for order.

Consider further the class `Point` discussed in class, partially reproduced below for your convenience.

```
class Point implements Comparable<Point> {
    private double x;
    private double y;
    :
    public int compareTo(Point p) {
        return (int) (this.x - p.x);
    }
}
```

What will be the result of sorting the following array of `Point`? For simplicity, we write `<x1,y1>` to indicate a point with x-coordinate (i.e., `private double x`) of `x1` and y-coordinate (i.e., `private double y`) of `y1`.

```
{ <3.1, 2.1>, <1.2, 2.2>, <2.2, 1.2>, <1.1, 2.1> }
```

Long Answer**[9 marks]**

9. Consider the class `Rectangle` below.

```
class Rectangle {
    private int width;
    private int height;
    :
    public Rectangle(int height, int width) {
        this.width = width;
        this.height = height;
    }
}
```

Write a `toString` method for the class `Rectangle` above that prints the bounding box of the rectangle with minus (-), bar (|), and plus (+). For instance, `System.out.println(new Rectangle(3,5));` will produce the print out below. You are guaranteed that the minimum width and height for a rectangle is 2. To insert a newline into a String, you use `"\n"`. For instance, `"a" + "\n"` will result in character `"a"` being printed followed by a newline.

```
+---+
|   |
+---+
```

10. Consider the generic class `Pair` below.

```
class Pair<T> {
    private T l;
    private T r;
    public Pair(T l, T r) {
        this.l = l;
        this.r = r;
    }
    public T getL() { return this.l; }
    public T getR() { return this.r; }
    public String toString() {
        return "<" + this.l + "," + this.r + ">";
    }
}
```

We want to create a generic class `Quad` which is an extension of `Pair` such that instead of holding a two elements of type `T`, it holds four elements of type `T`. We declare the class as follows: `class Quad<T> extends Pair<Pair<T>>`.

Without declaring any fields, implement the class `Quad`. You should refer to the following use case for the expected behaviour when run in `jshell`.

```
jshell> Quad<Integer> q = new Quad<>(1,2,3,4);
q ==> <<1,2>,<3,4>>
```

```
jshell> q.getL()
$17 ==> <1,2>
```

```
jshell> q.getR()
$18 ==> <3,4>
```

Midterm Assessment

```
jshell> q.getLL()  
$19 ==> 1
```

```
jshell> q.getLR()  
$20 ==> 2
```

```
jshell> q.getRL()  
$21 ==> 3
```

```
jshell> q.getRR()  
$22 ==> 4
```

You should also implement the class *minimally*. In other words, if a method is not needed in the class `Quad`, it should not be defined in the class `Quad`.